

STRUMENTO RADIONICO



Orgo-Radionico

Ricarica vitale a distanza

Orgo-Radionico

Trattamenti ad energia Orgonica attraverso il sistema Radionico con l'utilizzo di testimone (fotografie).
Essenziale la luce del sole.

Lo strumento è predisposto per:

- *Ricarica orgonica a distanza*

Corredato da:

- libretto di istruzioni

MISURE cm 15x15x10,5(h)

PESO gr 830

CARATTERISTICHE TECNICHE

È stato realizzato dalla nostra bottega artigianale Radionica un nuovo strumento, alla portata di tutti, di garantita efficacia ed **estremamente necessario per combattere: stress, depressioni, esaurimenti, ecc.**

È composto da una base in compensato marino e da una lamina in alluminio ove vengono appoggiate le fotografie della persona che si vuole trattare.

L'Orgone è realizzato con una massa metallica avvolta da filamenti di lana.

La manopola collegata ad un potenziometro, presente all'interno dello strumento, serve per regolare l'erogazione di energia orgonica. Questo avviene a qualsiasi distanza si trovi il soggetto dallo strumento, come avviene del resto con tutti gli strumenti radionici.



È la versione, puramente Radionica, per trasmettere energia Orgonica attraverso un proprio testimone! L'abbiamo definito "Orgo-Radionico" proprio per le due parole: Orgone (W. Reich) e Radionica (trasmissione a distanza di frequenze).



Potenzimetro

Come sempre la cosa migliore è farsi un'analisi Radiestesica sia per i tempi, sia per verificare l'uso del potenziometro numerico da 1 a 10, poiché la potenza è estremamente importante per il buon esito del trattamento. Non è assolutamente vero che, più forte si riceve l'energia prima si raggiunge l'Equilibrio Armonico, cioè la salute. Lo strumento deve avere un numero più basso della tolleranza energetica della persona.



Accumulatore

Per poter accumulare l'energia Orgonica nell'accumulatore, per poi trasmetterla alla persona, lo strumento va posizionato alla luce piena del giorno, anche se non c'è il sole, perchè sono le frequenze di tutti i colori che compongono la luce a riattivare le cellule viventi del corpo.



Piastre metalliche

Le piastre metalliche devono essere sempre pulite con un po' di cotone e alcool e bisogna prestare attenzione a non lasciarvi le impronte digitali, poiché lo strumento Orgo-Radionico non si spegne mai, e quindi potrebbe portare il corpo del soggetto in iper-accumulo energetico! La copertura in plexiglass ha la funzione di tenere ferme le fotografie da eventuali colpi di vento o per l'incidentale urto da parte delle persone.

PER UN MIGLIOR ASSORBIMENTO

Orgo-Radionico

Per un miglior assorbimento Orgo-Radionico, sarebbe opportuno che la persona, mentre riceve il trattamento, sia in uno stato di consapevolezza e attenzione e non di dispersione.

Per coloro che si ritengono credenti, un assetto di preghiera di ringraziamento sarebbe opportuno, poiché l'Orgone è energia vitale, donata dal cosmo all'Essere umano per il suo buono stato di salute.

Considerando inoltre che stress, depressione ed esaurimento sono la condizione del nostro stato psichico, si consiglia di arricchire ogni trattamento Orgo-Radionico con **pensieri di pace, di positività alla vita e, soprattutto, di Amore per ogni essere vivente di questa terra.**

Lo strumento Orgo-Radionico non ha bisogno di manutenzione tecnica, ma solo di **pulizia** sulle piastre, **positività** della mente e **costanza** nell'eseguire i trattamenti.

Testimone

Consiste in due nostre fotografie (formato tessera): la prima si posiziona sulla piastra metallica di destra (●) con l'immagine rivolta verso l'alto, la seconda si posiziona sulla piastra di sinistra (●) con l'immagine rivolta verso il basso, rispettando le due polarità che abbiamo in corpo.

La 1° fotografia, riceve l'energia Orgonica accumulata dallo strumento attraverso la piastra metallica e la trasmette al soggetto originale per l'effetto di Risonanza (che avviene tra la fotografia e la persona).

La 2° fotografia, essendo anch'essa in Risonanza con la persona in trattamento, trasmette alla piastra il "DOR" (energia corporea congesta del soggetto), e la trasporta all'interno dello strumento, ove si trova un "Translatus" collegato ad un potenziometro che controlla l'uscita del DOR stesso, orientandolo fuori dalla stanza in cui è posizionato.



RADIONIC INSTRUMENT



Orgo-Radionic

Vital recharging at a distance



Strumenti
Radionici

Orgo-Radionic

Orgone energy treatments through the Radionic system using a witness (photos).

Sunlight necessary.

The instrument is designed for:

- *Orgonic recharge at a distance*

Accompanied by:

- Instruction booklet

MEASUREMENTS cm 15x15x10,5(h)
WEIGHT gr 830

TECHNICAL FEATURES

Our Radionic craft workshop has developed a new tool, within everyone's reach, of guaranteed effectiveness and **extremely necessary for fighting: stress, depression, exhaustion, etc.**

It consists of a marine plywood base and an aluminum foil where photographs of the person to be treated are placed.

The Orgone is made of a metal mass wrapped with wool filaments.

The knob connected to a potentiometer inside the instrument is used to adjust the delivery of orgone energy. This is done at whatever distance the subject is from the instrument, as is the case with all radionic instruments.



It is the version, purely Radionic, to transmit Orgone energy through one's own witness! We called it "Orgo-Radionic" precisely because of the two words: Orgone (W. Reich) and Radionics (remote transmission of frequencies).



Potentiometer

As always, the best thing is to have a radiesthetic analysis both for timing and to check the use of the numerical potentiometer from 1 to 10, as the power is extremely important for the success of the treatment. It is absolutely not true that the stronger you receive the energy the sooner you achieve Harmonic Balance (health). The instrument must have a number lower than the person's energy tolerance.



Accumulator

It is clear that, to be able to accumulate the Orgone energy in the accumulator and then transmit it to the person, the instrument must be placed in full daylight, even if the sun is not shining, because it is the frequencies of all the colours that make up light that reactivate the living cells of the body.



Metal Plates

The metal plates should always be cleaned with a little cotton and alcohol, and care should be taken not to leave fingerprints on them, as the Orgo-Radionic instrument never shuts off, and thus could bring the subject's body into hyper-energy accumulation!

The function of the plexiglass cover is to keep the photographs still from being blown around by the wind or from being accidentally bumped by people.

FOR BETTER ABSORPTION

Orgo-Radionic

For a better Orgo-Radionic absorption, it would be appropriate for the person, while receiving the treatment, to be in a state of awareness and attention and not in a state of dispersion. For those who consider themselves believers, an attitude of prayer of thanksgiving would be appropriate, since Orgone is vital energy, given by the cosmos to the human being for his survival in good health.

Considering, moreover, that stress, depression, exhaustion are the conditions of our psychic state, it is advisable to enrich every Orgo-Radionic treatment with **thoughts of peace, forgiveness, cheerfulness, positivity to life and above all Love for every living being on this earth.**

The Orgo-Radionic instrument does not need technical maintenance, only **cleaning** on the plates, **positivity** of mind and **constancy** in performing the treatments.

Witness

It consists of a photograph of us (passport size). Two are required: the first is placed on the right metal plate (●) with the image facing upwards, the second is placed on the left plate (●) with the image facing downwards, respecting the two polarities in our bodies.

The first image perceives the Orgone energy that is transmitted from the “accumulator cylinder” through the metal plate which, in turn in contact with the witness, transmits it to the original subject through the Resonance effect, which occurs between the two frequencies, which are identical to each other.

The second image, also being in resonance with the original, transmits the “DOR”, the subject’s congested body energy, to the plate and transports it to the inside of the instrument where there is a “Translatus” connected to a potentiometer that controls the output of the DOR itself, directing it out of the room where the Radionic treatment is performed.

