

STRUMENTO RADIONICO



Tetra-A°

Schermatura da geopatie



Strumenti
Radionici

Tetra-A°

È uno strumento schermante per tutte le geopatìe. Ha un'azione di raggio di 12 m da ogni parte e nessun limite in altezza. Utile per portare Equilibrio Armonico in ogni ambiente.

Lo strumento è predisposto per:

- *Schermarsi dalla rete del Curry e altre geopatìe*
- *Schermare corsi d'acqua sotterranei*

Corredato da:

- libretto di istruzioni


MISURE	15x15x15(h) cm
PESO	200 gr.

CARATTERISTICHE TECNICHE

Il Tetra-A° è in compensato marino con tetraedro formato da quattro facce a triangolo equilatero. All'interno è stato accessorizzato con metallo informato a livello Radionico, con frequenze adatte a risolvere gli inquinamenti geopatìci.

Va orientato verso il nord terrestre, come indicato sul basamento.

La costruzione è molto semplice, ma studiata nei minimi dettagli, rispettando le polarità di ogni materiale usato.



DEBELLATO IL "CURRY"

Il Reticolo di Curry


I fenomeni geopatologici, maggiormente conosciuti come patogeni al corpo, sono: corsi d'acqua sotterranei, faglie geologiche, reticolo elettromagnetico di Hartmann, reticolo di Curry, onde di forma ecc...

Proprio questo reticolo di Curry è stato oggetto delle nostre ultime attenzioni, visto che non viene quasi mai menzionato a dovere nei testi di Geobiologia di recenti edizioni.

Questo reticolo elettromagnetico si presenta con muri di circa 50 cm (in stato normale), orientati da nord-est a sud-ovest e da nord-ovest a sud-est. Viene anche chiamato "reticolo diagonale" o del "ferro" e ha delle maglie larghe da 3,50 a 4 mt.

Tale reticolo porta cariche energetiche di polarità positive e porta alle cellule del corpo forme infiammatorie degenerative se non se ne riconosce la causa in tempo. Nel caso in cui si dormisse proprio su di un muro o di un incrocio di questa rete di origine cosmica sarebbe meglio allontanarsi dal luogo di riposo (letto) e schermare l'ambiente.

Il Tetra-A° è nato per questa ragione specifica!



Come intervenire nelle Geopatie

Nei vari ambienti sperimentali i risultati sono stati sorprendenti.

Con la schermatura del Tetra-A°, ogni singola perturbazione (Corso d'acqua sotterraneo, Faglia geologica, Linea del reticolo di Curry, Nodo del reticolo di Curry, Linea del reticolo di Hartmann, Nodo del reticolo di Hartmann, Onde di forma varie d'ambiente)


Il Tetra-A° ha la capacità di inibire i campi geomagnetici generati dalle faglie acquifere che si trovano nel sottosuolo e che generano disturbi a livello vibrazionale capaci di alterare il ciclo circadiano, alterando anche il corretto funzionamento delle cellule del corpo.

È stata aggiunta anche la capacità di togliere i residui di calcare dai tubi dell'acqua.

Siamo decisamente fieri di questi risultati!

raggiunge il valore di 9000 A°, equivalente all'Equilibrio Armonico! Per una ricerca ancora più sofisticata si può ottenere una conferma con la scala Bovis dove i 50/50 rappresentano la perfezione, cioè l'Equilibrio Armonico.

Per controllare personalmente se l'energia è cambiata, si può utilizzare il quadrante dell'Energia Vitale d'Ambiente presente nel libretto d'istruzioni.





Per il suo corretto funzionamento posizionare lo strumento a **20 cm da terra** su un piano libero da oggetti, per **almeno 20 cm tutto attorno ad esso** e uno spazio libero di **almeno 30 cm in altezza**.

RADIONIC INSTRUMENT



Tetra-A°

Shielding from Geopaths



Strumenti
Radionici

Tetra-A°

This is a shielding instrument for all geopaths. It has a radius of action of 12 m on all sides and no height limitation. Useful for bringing Harmonic Balance to any environment.

The instrument is set up to:

- Shielding from the Curry network and other geopaths
- Screening underground watercourses

Accompanied by:


- instruction booklet

MEASURES	15x15x15(h) cm
WEIGHT	200 gr.

TECHNICAL FEATURES

Tetra-A° is made of marine plywood with a tetrahedron formed by four faces in an equilateral triangle. Inside it has been equipped with Radionically informed metal, with frequencies suitable for resolving geopathic pollutions.

It has to be oriented towards the Earth's north, as indicated on the plinth. The construction is very simple, but studied down to the smallest detail, respecting the polarities of each material used.



CURRY “ERADICATED”

The Curry Grid


Geopathic phenomena, best known as pathogenic to the body, are underground watercourses, geological faults, Hartmann’s electromagnetic lattice, Curry lattice, waves shape waves, etc.

It is precisely this Curry lattice that has been the subject of our latest attention since it is hardly ever properly mentioned in recent Geobiology texts.

This electromagnetic lattice has walls of approx. 50 cm (in its normal state), oriented from north-east to south-west and from north-west to south-east. It is also called the ‘diagonal lattice’ or ‘iron’ lattice and has meshes from 3.50 to 4 m wide.

This lattice carries energy charges of positive polarity and brings degenerative inflammatory forms to the cells of the body if the cause is not recognised in time. In the event that one sleep right on a wall or intersection of this network of cosmic origin, it would be better to move away from the place of rest resting place (bed) and shield the environment.

The Tetra-A° was created for this specific reason!



How to intervene in Geopathies


In the various experimental environments, the results were astonishing.

With the shielding of the Tetra-A°, every single perturbation (subterranean watercourse, geological fault, Curry lattice line, Curry lattice node, Hartmann lattice line, Hartmann lattice node, waves of various environmental shapes) **reaches a value of 9000 A°**, equivalent to Harmonic Equilibrium!

For an even more sophisticated search, confirmation can be obtained with the Bovis scale where 50/50 represents perfection, so Harmonic Equilibrium. *To personally check if the energy has changed, you can use the Vital Energy quadrant in the instruction booklet.*

Tetra-A° has the ability to inhibit geomagnetic fields generated by underground water faults that generate vibrational disturbances capable of altering the circadian cycle, also altering the proper functioning of the body’s cells.

The ability to remove limescale residue from water pipes has also been added. We are definitely proud of these results!





For correct operation, place the instrument 20 cm from the ground on a surface free from objects, with at **least 20 cm of space all around it** and a free space of at **least 30 cm in height**.